

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	42	"BRICKELL, ERNIE"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 13:24
L5	2	l4 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:17
L6	34017	"INTEL CORPORATION"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 13:56
L7	1	l6 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 13:56
L8	154	("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 13:56
L9	5	l8 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:25
L10	1757	380/277	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:16
L11	10	l10 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:19
L12	1	l11 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:19
L13	1	l11 and ((receiv\$3 with request\$3) with ("proof" or prov\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:19
L14	2583	380/28	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:18

EAST Search History

L15	37	l14 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:20
L16	3	l15 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:20
L17	0	l16 and ((receiv\$3 with request\$3) with ("proof" or prov\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:20
L18	3033	380/30	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:19
L19	51	l18 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:19
L20	3	l19 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:23
L21	31	l18 and ((receiv\$3 with request\$3) with ("proof" or prov\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:22
L22	0	l21 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:21
L24	103	"708/606"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:21
L25	1	l24 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:23
L26	0	l24 and ((receiv\$3 with request\$3) with ("proof" or prov\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:24
L27	333	708/491	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:23

EAST Search History

L28	11	I27 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:25
L29	1	I28 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:23
L31	0	I27 and ((receiv\$3 with request\$3) with ("proof" or prov\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:25
L32	104	708/518	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:25
L33	0	I32 and ("exponentiations" with ("prime" adj "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:25
L34	0	I32 and ((receiv\$3 with request\$3) with ("proof" or prov\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/11/25 14:26

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

exponentiations with mod P is a prime numbe

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)

The following words are very common and were not included in your search: **with is a**. [\[details\]](#)

Patents

Patents 1 - 10 on **exponentiations with mod P is a prime number**. (0.25 seconds)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Method and apparatus for protecting public key schemes from timing and fault ...

US Pat. 5991415 - Filed May 12, 1997 - Yeda Research and Development Co. Ltd. at the Weizmann Institute of Science
 ... the further improvement where j is chosen as a **prime number**. 6. ... since the small **exponentiations** in the 25 operation $x^d \pmod n$ where $n=p \cdot q$, ...

RSA Public-key data encryption system having large random **prime number** ...

US Pat. 4351982 - Filed Dec 15, 1980 - Racal-Milgo, Inc.
 Therefore, p and q must be large random **prime** num- transmission and receipt ...
 this also requires a possibly compromisable physi- (**mod P**) for 100 random a ...

Verification of the private components of a public-key cryptographic system

US Pat. 6952476 - Filed Feb 8, 2000 - Hewlett-Packard Development Company, L.P.
 ... workload of 5k 2o **exponentiations mod P** into 5.5k **exponentiations mod n**. ...
 to said second party a **number P** such that **P is a prime number** and $nl(Pl)$; ...

Digital message encryption and authentication

US Pat. 6396928 - Filed Oct 24, 1997 - Monash University
mod p. Alice's signature on a message m is composed of two numbers r and s which
 ... $HASH = 1$] $EXP =$ the **number** of modulo **exponentiations**, $MUL =$ the **number** of ...

High speed modular exponentiator

US Pat. 6282290 - Filed Mar 28, 1997 - Mykotronx, Inc.
 ... of smaller modular **exponentiations** together to provide respective first level
 ... **mod q** in which p and q are **prime** numbers having a product equal to n

Method and apparatus for use in public-key data encryption system

US Pat. 4633036 - Filed May 31, 1984 - Martin E. Hellman
 The signal representing the value $p \bmod rs$ is applied as one of four input ...
 $LEN(r)$ are **prime**, the **number** of f values tested will be reasonable (eg, ...

Server-aided computation method and distributed information processing unit

US Pat. 5046094 - Filed Feb 2, 1990 - Kabushiki Kaisha Toshiba
 $Z = 1 \cdot \bmod n = S'lb \bmod n = Sa'lb \bmod n = (S'')' \bmod n = S'' \bmod n = \backslash P \bmod n$ 10
 ... Thus, when a **prime number** is selected for e , this attack method fails and ...

Device and method for calculating a result of a modular exponentiation

US Pat. 7248700 - Filed Feb 27, 2004 - Infineon Technologies AG
 ... with the modulus n into two modular **exponentiations** of second sub-moduli p ,
 ... $dq = d \bmod (ql)$, wherein q is a second **prime number**, wherein a product of p ...

Information security device, **prime number** generation device, and **prime** ...

US Pat. 7130422 - Filed Apr 12, 2002 - Matsushita Electric Industrial Co., Ltd.
 $L2, \dots, q \bmod Ln$, to the **prime** generating unit 1016. ... then receives **prime**

p from number of 256-bit modular exponentiations performed to $P^{1/6}$ storing ...

Multiple prime number generation using a parallel prime number search algorithm

US Pat. 7120248 - Filed Mar 26, 2001 - Hewlett-Packard Development Company, L.P.

A third curve 39 is for plotted values of percentage of exponentiations save for

... $x^{p-1} \equiv 1 \pmod{P}$ () where P is a prime number candidate (eg, $P=n0$). ...

Goooooogle ►

Result Page: 1 2 3 4 5 [Next](#)

exponentiations with mod P is a prime numb [Search Patents](#)

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

exponentiations with h mod P

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)

"with" is a very common word and was not included in your search. [\[details\]](#)

Patents

Patents 1 - 10 on exponentiations with h mod P. (0.09 seconds)

 Sort by relevance | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Verification of the private components of a public-key cryptographic system

US Pat. 6952476 - Filed Feb 8, 2000 - Hewlett-Packard Development Company, L.P.
 We nevertheless use a ten percent expansion and convert Bob's workload of 5k 2o
 exponentiations mod P into 5.5k exponentiations mod n. ...

Ideal electronic negotiations

US Pat. 5615269 - Filed Feb 22, 1996
 8 Rather than obtaining type-2 values by evaluating H at inputs V_k that are ...
 type x_d mod n, where d is the multiplicative inverse of e mod (p-1) (q-1); ...

Digital message encryption and authentication

US Pat. 6396928 - Filed Oct 24, 1997 - Monash University
 In practice, g is obtained by calculating $g = \lfloor (-p^{-1} \sim \rightarrow l) \bmod p$ where h is an integer
 ... DIV = 2 ADD = 0, HASH = 1] EXP=the number of modulo exponentiations, ...

Verification protocol

US Pat. 6446207 - Filed Jan 29, 1998 - Certicom Corporation
 In a DSA signature scheme the signature components r and s are given by: $r = (g^a \bmod p) \bmod q$; and $s = k^{-1}(h(m) + dr) \bmod q$ where typically: 35 d is a random ...

Secure electronic voting using partially compatible homomorphisms

US Pat. 5495532 - Filed Aug 19, 1994 - NEC Research Institute, Inc.
 Note that many modular exponentiations with the same base are being performed.
 ... ax mod p from 3Ak, to Vz_k, requiring a table size of (n+2)k² bits. ...

High speed modular exponentiator

US Pat. 6282290 - Filed Mar 28, 1997 - Mykotronx, Inc.
 TT i-, . tiation of the same order as bp mod p, the inverse may be perform ...
 of the two modular exponentiations may be data is provided to the data user. ...

Compact microelectronic device for performing modular multiplication and ...

US Pat. 5513133 - Filed Nov 18, 1993 - Fortress U&T Ltd.
 Using a simple division calculation we know for comparison that $t \bmod q = 5c8$
 B)NB \ncong (P (b • H)N (steps a and b are equivalent to $B \ncong B2 \bmod N$) IF E(j) ...

Auto-recoverable and auto-certifiable cryptostem using zero-knowledge proofs ...

US Pat. 6282295 - Filed Oct 28, 1997
 14. add (Q₁, C^h, C-2) to the end of P 15. val=H(P) 16. set b₁,b₂, ... (tt- raised
 to the a.fj- power) mod n=vJ-J-, where j=l+bj- The verifying system ...

Method, identification device and verification device for identifaciton and ...

US Pat. 5502764 - Filed Jan 24, 1994 - Thomson Consumer Electronics S.A.
 RA2 mod X & m) and reads said number Z as a set {C_j, . . . ,ch} of h numbers c

... algebraic function P . In this case the number Z is defined by $Z=H(P(Rj2 \& \dots$

Compact microelectronic device for performing modular multiplication and ...

US Pat. 5742530 - Filed Dec 28, 1995 - Fortress U&T Ltd.

$J0=7$ as $7-9=-1 \bmod 16$ and $H=2^{12} \bmod a59=44b$. The expected result is $FsA-B \bmod$

... **exponentiations** and multiplications this would be most efficient. ...

Google ►

Result Page: 1 2 3 **Next**

exponentiations with $h \bmod P$

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

exponentiations with mod P a prime number

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)

"with" is a very common word and was not included in your search. [\[details\]](#)

Patents

Patents 1 - 4 on exponentiations with mod P a prime number. (0.29 seconds)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Did you mean: **exponentiations with mod A prime number**

Information security device, prime number generation device, and prime ...

US Pat. 7130422 - Filed Apr 12, 2002 - Matsushita Electric Industrial Co., Ltd.

... modular exponentiations performed to $P1^{TM}6$ storing unit 103 as prime pa. ...

Here, computational complexity of generating a Prime $1'1 \bmod Li > q \bmod L2$, ...

Multiple prime number generation using a parallel prime number search algorithm

US Pat. 7120248 - Filed Mar 26, 2001 - Hewlett-Packard Development Company, L.P.

Preferably, the in prime number generation performance of Multi-prime key prime

... pt are referred to as factors of the of exponentiations saved due to ...

Code exchange protocol

US Pat. 7016500 - Filed Mar 18, 1999 - Rohde & Schwarz SIT GmbH

By using the asymmetrical pair of codes SA, PA and SB, PB to form the session code

... The low number of 65 required exponentiations results in a decisive ...

Implicit certificate scheme

US Pat. 6792530 - Filed Sep 22, 2000 - Certicom Corp.

T then computes $PA = a^A \bmod p$. PA is A's KEY reconstruction public data, ...

the ID-based implicitly-verifiable public key needs two exponentiations. ...

exponentiations with mod P a prime number

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google